

To: CN=Elizabeth Blackburn/OU=DC/O=USEPA/C=US@EPA[]
Cc: CN=Dayna Gibbons/OU=DC/O=USEPA/C=US@EPA[]
Bcc: []
From: CN=Cynthia Sonich-Mullin/OU=CI/O=USEPA/C=US
Sent: Wed 10/31/2012 3:09:17 PM
Subject: Re: Pavillion and anti-freeze

Hi Liz,
I hope you all weathered the storm safe and sound and am glad you all are back.

I had a good discussion with Gary on the subject last night. He has received additional input and I requested a summary.
He is travelling today so please bear with me. I will provide you with the requested information as soon as I can.
Or, do you need this immediately? If so, I will go another route.

Thanks!
Cindy

Cynthia Sonich-Mullin
Director
National Risk Management Research Laboratory
Cincinnati, Ohio 45268
Ofc: 513-569-7923
Cell: 513-560-5043

From: Elizabeth Blackburn/DC/USEPA/US
To: Cynthia Sonich-Mullin/CI/USEPA/US@EPA
Cc: Dayna Gibbons/DC/USEPA/US@EPA
Date: 10/31/2012 10:58 AM
Subject: Pavillion and anti-freeze

Hi Cindy

I hope you are doing well.

Ramona has asked that we develop a statement about the alleged anti-freeze spill. Can you please send me any useful information that you have that might help us develop a good statement.

Thank you.

Liz

Liz Blackburn
Communications Director
Office of Research and Development
USEPA
PH: 202-564-2192
Blackberry: 202-436-2453